


EG


Features
Lifetime:60 ,2.5V,1000hrs
High Capacitance



Specifications

Items	Characteristics	
Capacitance Tolerance	-20	~ +40% (25)
Rated Voltage Range (WV)	2.5 VDC	
Operating Temperature Range	-25 ~ +60	
		C= Nominal Capacitance (F) V= Rated Voltage (V)
Low Temperature Stability	Capacitance Change	±30%(25)
	AC(1KHz)	4 times
Load Life	After applying rated voltage for 1000 hours at 60 , the capacitor shall meet the following requirement.	
	Capacitance Change	Within±30% of the initial value
	AC(1KHz)	Not more than 200% of the specified value
Shelf Life	After placed at 60 without voltage applied for 1000 hours, the capacitor shall meet the same requirement as Load life.	

Dimensions (mm)



D	8	10	13	16	18	22
P	3.5	5.0	7.5	7.5	7.5	10.0
d	0.6	0.6	0.6	0.8	0.8	1.0

DIP

WV	2.5(V.DC)	
SPEC F	DxL(mm)	AC() at 1KHZ
4	10x20	0.2
10	13x25	0.1
15	16x26	0.06
25	16x32	0.05
40	18x36	0.05
50	18x40	0.04
55	22*35	0.04
70	22*40	0.03